MATERIAL SAFETY DATA SHEET

Cayman Chemical Company Printed: 01/14/2007 Revision: 01/04/2007 Supercedes Revision: 07/02/1998 Date Created: 06/27/1996

Page: 1

 Product and Company Identification Product Code:

Product Name: 13(S)-HpODE Manufacturer Information

Company Name: Cayman Chemical Company

1180 E. Ellsworth Rd.

Ann Arbor, MI 48108

Flash Pt:

Explosive Limits:

Fire Fighting Instructions:

Hazard Label Information:

Flash Pt:

Explosive Limits:

Solubility in Water:

Appearance and Odor:

Hazardous Polymerization:

Ecological Information:

Waste Disposal Method:

US EPA SARA Title III

13(S)-HpODE Ethyl alcohol

2. Ethyl alcohol

Hazardous Components (Chemical Name)

Hazardous Components (Chemical Name)

For research use only, not for human or veterinary clinical use.

Company Policy or Disclaimer

pH:

Specific Gravity (Water = 1): Vapor Pressure (vs. Air or mm Hg):

Vapor Density (vs. Air = 1):

Evaporation Rate (vs Butyl Acetate=1):

Flammable Properties and Hazards:

Emergency Contact: (800)364-9897 Cayman Chemical Company Information: (734)971-3335 Cayman Chemical Company Chemical Family: Hydroperoxy Fatt Acids Synonyms: 13S-hydroperoxy-9Z,11E-octadecadienoic acid

Composition/Information on Ingredients CAS# OSHA PEL Hazardous Components (Chemical Name) ACGIH TLV Other Limits Percentage 13(S)-HpODE 33964-75-9 0.5 % No data. No data. No data. 64-17-5 99.5 % 8H TWA:1000 ppm 1000 ppm No data.

Ethyl alcohol (1900 mg/m3) Hazardous Components (Chemical Name) RTECS # OSHA STEL OSHA CEIL ACGIH STEL ACGIH CEIL 13(S)-HpODE NA No data. No data. No data. No data. Ethyl alcohol KQ6300000 No data. No data. No data. No data. Hazards Identification

Emergency Overview: No data available. Route(s) of Entry: Inhalation? Yes Skin? Yes Eyes? Yes Ingestion? Yes

Potential Health Effects (Acute and Chronic): The hazards identified with this product are those associated with the solvent(s). Long term repeated oral exposure to ethanol may result in the development of progressive liver injury with fibrosis.

Material is irritating to the mucous membranes and upper respiratory tract. May be harmful by inhalation, ingestion, or skin absorption. May cause eye, skin, or respiratory system irritation. Repeated exposure may cause skin dryness or cracking.

Repeated ingestion of ethanol by pregnant mothers has been shown to adversely affect the CNS system of the fetus, producing a collection of effects which together consitutue fetal alcohol syndrome. These include mental and physical retardation, disturbances of learning, motor and language deficiencies, behavioral disorders and small size head. The toxicological properties of this compound have not been fully evaluated.

Signs and Symptoms Of Exposure: Exposure may cause: Dizziness, drowsiness, headache, nausea, and vomiting. Medical Conditions Generally Aggravated By Repeated exposure to ethanol may aggravate liver injury produced from other causes. Exposure: First Aid Measures Emergency and First Aid Procedures: If inhaled remove to fresh air. If not breathing, give artificial respiration or give oxygen by trained

personnel. Get immediate medical attention.

to do so by medical personnel.

In case of contact with eyes, hold eyelids apart and flush eyes with plenty of water. After initial flushings, remove any contact lenses and continue flushing for at least 20 minutes. Have eyes examined and tested by medical personnel. In case of skin contact, immediately wash skin with soap and plenty of water. Remove

contaminated clothing. Get medical attention if symptoms occur. Wash clothing before reuse. ANSI Z400.1 Format Page: 2 MATERIAL SAFETY DATA SHEET Printed: 01/14/2007 13(S)-HpODE Revision: 01/04/2007

> Fire Fighting Measures 14.00 C Method Used: TCC

Can release vapors that form explosive mixtures at temperatures at or above the flashpoint.

Supercedes Revision: 07/02/1998

ANSI Z400.1 Format

Sec.110

ANSI Z400.1 Format Page: 4

CA PROP 65

Printed: 01/14/2007

Revision: 01/04/2007

No

Supercedes Revision: 07/02/1998

Sec.313 (TRI)

EPA TSCA

If swallowed, wash out mouth with water provided person is conscious. Never give anything by mouth to an unconscious person. Get medical attention. Do NOT induce vomiting unless directed

LEL: 3.3% at 25.0 C UEL: 19% at 25.0 C As in any fire, wear self-contained breathing apparatus pressure-demand (MSHA/NIOSH approved or equivalent), and full protective gear to prevent contact with skin and eyes. Note: Flammable as diluted in ethanol.

Container explosion may occur under fire conditions. Emits toxic fumes under fire conditions. Flammable liquid. Vapors can travel to a source of ignition and flash back. Hazardous Combustion Products: carbon dioxide

Extinguishing Media: Use alcohol-resistant foam, carbon dioxide, water, or dry chemical spray when fighting fires involving this material. Unsuitable Extinguishing Media: No data available.

Accidental Release Measures Steps To Be Taken In Case Material Is Absorb spill with inert material (e.g. dry sand or earth), then place in a chemical waste container. Released Or Spilled: After removal, ventilate contaminated area and flush thoroughly with water. Handling and Storage

Avoid contact with skin and eyes. Do not reuse this container. Use with adequate ventilation. Wash thoroughly after handling. Precautions To Be Taken in Handling: Avoid breathing (dust, vapor, mist, gas). Avoid contact with eyes, skin, and clothing. Avoid prolonged or repeated exposure. Do not reuse this container.

Keep away from sources of ignition. Use with adequate ventilation. Wash thoroughly after handling. Precautions To Be Taken in Storing: Store at correct temperature. Exposure Controls/Personal Protection Protective Equipment Summary - Hazard Eye wash station in work area Lab coat Latex disposable gloves. Safety glasses. Label Information: shower in work area Vent Hood Respiratory Equipment (Specify Type): No data available.

Eye Protection: Safety glasses Protective Gloves: Latex disposable gloves Other Protective Clothing: Engineering Controls (Ventilation etc.): Good general ventilation should be sufficient to control airborne levels. Work/Hygienic/Maintenance Practices: Do not take internally.

Facilities storing or utilizing this material should be equipped with an eyewash facility and a

Physical and Chemical Properties [X] Liquid Physical States: [ ] Gas Melting Point: No data. **Boiling Point:** No data. Autoignition Pt: No data.

14.00 C Method: TCC

LEL: 3.3%

No data.

44.6 MM\_HG at 20.0 C

> 1 mg/ml\* at 25.0 C

A clear, colorless solution

Will occur [ ]

Wash thoroughly after handling.

safety shower.

MATERIAL SAFETY DATA SHEET Page: 3 Printed: 01/14/2007 13(S)-HpODE Revision: 01/04/2007 Supercedes Revision: 07/02/1998

at 25.0 C

UEL: 19%

at 25.0 C

Other Solubility Notes: \*PBS pH 7.2, also sol. in EtOH, DMSO, & DMF, see product insert. Percent Volatile: N.A. Corrosion Rate: No data. C18H32O4 Formula: Molecular Weight: 312.40 No data.

Stability and Reactivity

Stable [X] Stability: Conditions To Avoid - Instability: No data available. Incompatibility - Materials To Avoid: strong inorganic acids strong oxidizing agents Hazardous Decomposition Or Byproducts: carbon dioxide carbon monoxide

Conditions To Avoid - Hazardous No data available. Polymerization: Toxicological Information Toxicological Information: The toxicological effects of this compound have not been thoroughly studied. Carcinogenicity/Other Information: No data available. Carcinogenicity: OSHA Regulated? No NTP? No IARC Monographs? No 12. Ecological Information

Will not occur [ X ]

Runoff from fire control or dilution water may cause pollution.

Dispose in accordance with local, state and federal regulations.

LAND TRANSPORT (US DOT) DOT Proper Shipping Name: Ethyl alcohol DOT Hazard Class: DOT Hazard Label: FLAMMABLE LIQUID UN/NA Number: 1170DOT Packing Group: Additional Transport Information: Transport in accordance with local, state, and federal regulations.

Regulatory Information

Sec.302 (EHS)

MATERIAL SAFETY DATA SHEET

13(S)-HpODE

DISCLAIMER: This information is believed to be accurate and represents the best information currently available to us. However, we make no warranty of

EPA CAA

Other Information

Sec.304 RQ

Disposal Considerations

Transport Information

US EPA CAA, CWA, TSCA Hazardous Components (Chemical Name) EPA CAA EPA CWA NPDES **EPA TSCA** CA PROP 65 33964-75-9 No 13(S)-HpODE

33964-75-9

CAS#

64-17-5 No

64-17-5 No

merchantability or any other warranty, express or implied, with respect to such information, and we assume no liability resulting from its use. Users should make their own investigations to determine the suitability of the information for their particular purposes.

EPA CWA NPDES

ANSI Z400.1 Format